

desk panels

Technical Data

- Twin screens - upholstered, pinnable, strip colour: aluminum;
 - Decorative element - plastic stripe, colour: grey;
 - Structure - chipboard covered in polyurethane foam on both sides;
 - Screen fixings: panel fixing for single desks - suitable for mounting to 16-30mm thick worktops; brackets for benches - powder-coated steel; suitable for mounting to 16-30mm thick worktops;
 - Option with extra charge - function rail: accessories rail - max load: 3.5 kg per point, 7 kg per side; monitor holder - powder coated steel, colour: M009 - aluminium semi-matt; pencil case - powder coated steel; shelf - A4 size, powder coated steel; organizer - powder coated metal
-

Selected configuration

ZUT01

Height: 13.78"

Width: 1.2"

Length: 39"

Colour of fixing elements: Aluminum semi-matte RAL 9006

Fabric: NE-9 Green

Accessories rail: No accessories rail

Type of fixing elements: Bracket for Ogi single desk

Sustainability

- The wood used in the production of our screens is acquired from FSC-certified producers.
 - Some of the available upholstery fabrics are made from post-consumer recycling.
 - Steel feet and fixing elements are powder-coated to reduce the emission of Volatile Organic Compounds.
-



Guarantee

.mdd products - 5 years.

Electrical components - 2 years.

Material composition

- MFC: 74%
- Steel: 11%
- Plastic: 2%
- Fabric: 6%
- Cardboard: 1%
- Polyurethane foam: 5%

*average values for a representative of the group.

Recycled content

4%

Recyclability

- Recycling: 35%
- Downcycling: 65%

*average values for a representative of the group.

Packaging

Materials: cardboard

Recyclability: 100%

Fabric technical data

NE-9 Green







| | |
|---------------------------------------|------------------------------------------------|
| Material | 100% polyester |
| Weight | 366g/m2 |
| Abrasion resistance rub | PN-EN ISO 12947 - 2:2 100,000 |
| Colour fastness to rubbing | scale 1-5, max 5 • EN ISO 105x12 (wet/dry) 4-5 |
| Fabric manufacturer's warranty | 10 years |

Sizes and Dimensions:

Universal

| | | | |
|-------------------------------------------------------------------------------------|---------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------|
|  | ZUT01 W: 39.0" D: 1.2" H: 13.8" |  | ZUT12 W: 46.9" D: 1.2" H: 13.8" |
|  | ZUT14 W: 54.7" D: 1.2" H: 13.8" |  | ZUT16 W: 62.6" D: 1.2" H: 13.8" |
|  | ZUT05 W: 39.0" D: 1.2" H: 19.7" |  | ZUT18 W: 70.5" D: 1.2" H: 13.8" |
|  | ZUT02 W: 39.0" D: 1.2" H: 17.7"-13.8" |  | ZUT20 W: 78.3" D: 1.2" H: 13.8" |
|  | ZUT52 W: 39.0" D: 1.2" H: 19.7" |  | ZUT22 W: 39.0" D: 1.2" H: 17.7-13.8" |
|  | ZUT24 W: 54.7" D: 1.2" H: 17.7-13.8" |  | ZUT54 W: 54.7" D: 1.2" H: 19.7" |
|  | ZUT26 W: 62.6" D: 1.2" H: 17.7-13.8" |  | ZUT56 W: 62.6" D: 1.2" H: 17.7" |
|  | ZUT28 W: 70.5" D: 1.2" H: 17.7-13.8" |  | ZUT29 W: 78.3" D: 1.2" H: 17.7"-13.8" |
|  | ZUT58 W: 70.5" D: 1.2" H: 19.7" |  | ZUT59 W: 78.3" D: 1.2" H: 19.7" |




For Bench Desks

| | | | |
|-------------------------------------------------------------------------------------|---------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|
|  | ZUT32 W: 46.9" D: 1.2" H: 14.2" |  | ZUT34 W: 54.7" D: 1.2" H: 14.2" |
|  | ZUT36 W: 62.6" D: 1.2" H: 22" |  | ZUT46 W: 62.6" D: 1.2" H: 22" |
|  | ZUT48 W: 70.5" D: 1.2" H: 22" |  | ZUT38 W: 70.5" D: 1.2" H: 22" |

Types of Fixing Elements

| | | | |
|---------------------------------------------------------------------------------------|-------------------|---------------------------------------------------------------------------------------|-------------------------|
|  | Bracket for Bench |  | Bracket for Single Desk |
|---------------------------------------------------------------------------------------|-------------------|---------------------------------------------------------------------------------------|-------------------------|

Accessories

| | | | |
|---------------------------------------------------------------------------------------|----------------------|---------------------------------------------------------------------------------------|----------------------|
|  | No accessories rail |  | Accessories rail x 1 |
|  | Accessories rail x 2 | | |

Redux

side and cross desk panels

Technical Data

- Twin screens - upholstered, pinnable, strip colour: aluminum;
 - Structure - chipboard covered in polyurethane foam on both sides;
 - Fabric - pinnable;
 - Fixing for side panels - powder coated metal, colour: M009 - aluminium semi-matt
-

Selected configuration

ZUT30

Height: 19.68"

Width: 1.18"

Length: 31.5"

Fabric: NE-14 Graphite

Type of fixing elements: Side bracket for Ogi

Sustainability

- The wood used in the production of our screens is acquired from FSC-certified producers.
 - Some of the available upholstery fabrics are made from post-consumer recycling.
 - Steel feet and fixing elements are powder-coated to reduce the emission of Volatile Organic Compounds.
-

Material composition



SLYDE.

Guarantee

- 5 years. Electrical
components - 2 years.



- MFC: 74%
- Steel: 11%
- Plastic: 2%
- Fabric: 6%
- Cardboard: 1%
- Polyurethane foam: 5%

*average values for a representative of the group.

Recycled content

4%

Recyclability

- Recycling: 35%
- Downcycling: 65%

*average values for a representative of the group.

Packaging

Materials: cardboard

Recyclability: 100%

Fabric technical data

NE-14 Graphite




| | |
|---------------------------------------|------------------------------------------------|
| Material | 100% polyester |
| Weight | 366g/m ² |
| Abrasion resistance rub | PN-EN ISO 12947 - 2:2 100,000 |
| Colour fastness to rubbing | scale 1-5, max 5 • EN ISO 105x12 (wet/dry) 4-5 |
| Fabric manufacturer's warranty | 10 years |


Sizes and Dimensions:




Single Desks




ZUT80
W: 23.6" D: 1.2"
H: 19.7"




ZUT90
W: 23.6" D: 1.2"
H: 25.6"




ZUT30
W: 31.5" D: 1.2"
H: 19.7"



ZUT60
W: 23.6" D: 1.2"
H: 25.6"




ZUT70
W: 27.6" D: 1.2"
H: 25.6"




ZUT50
W: 31.5" D: 1.2"
H: 25.6"


Bench Desks




ZUT11
W: 47.2" D: 1.2"
H: 19.7"




ZUT41
W: 55.1" D: 1.2"
H: 19.7"



ZUT31
W: 63.0" D: 1.2"
H: 19.7"



ZUT61
W: 47.2" D: 1.2"
H: 25.6"




ZUT71
W: 55.1" D: 1.2"
H: 25.6"




ZUT51
W: 63.0" D: 1.2"
H: 25.6"

Cross Panels for Bench Desks



ZOT58
W: 577 D: 30
H: 350 mm




ZOT68
W: 677 D: 30
H: 350 mm



ZOT78
W: 777 D: 30
H: 350 mm



ZOT10
W: 577 D: 30
H: 500 mm



ZOT40
W: 677 D: 30
H: 500 mm



ZOT79
W: 777 D: 30
H: 500 mm



ZYT78
W: 1600 D: 30
H: 350 mm



ZYT79
W: 1600 D: 30
H: 500 mm

Serenity Redux T

desk panels

Technical Data

- Sonic screens - upholstered, acoustic class A, pinnable;
 - Zip fastener;
 - Frame - glued solid wood structure;
 - Filling - acoustic nonwoven with high sound absorption and dispersion properties;
 - Steel bracket - situated in the frame with a machine screw thread to stabilize bracket fixing (concerns desk screens);
 - Ogi Drive bracket - mountable to the frame; powder-coated metal, 60x60mm profile
-

Selected configuration

ZPS632

Height: 25.6"

Width: 1.57"

Length: 46.85"

Colour of the frame: Aluminum semi-matte RAL 9006


Fabric: NE-10 Grey

COMPLEM. 1: Bracket for Ogi Drive frame 700 mm

Sustainability

- The wood used in the production of our screens is acquired from FSC-certified producers.
 - Some of the available upholstery fabrics are made from post-consumer recycling.
 - Steel feet and fixing elements are powder-coated to reduce the emission of Volatile Organic Compounds.
-

Material composition



Guarantee

- 5 years. Electrical components - 2 years.



- Wood: 64%
- Steel: 14%
- Fabric: 10%
- Cardboard: 1%
- Polyurethane foam: 10%

*average values for a representative of the group.

Recycled content

18%

Recyclability

- Recycling: 0%
- Downcycling: 100%

*average values for a representative of the group.


Packaging

Materials: cardboard

Recyclability: 100%

Fabric technical data

NE-10 Grey




| | |
|---------------------------------------|------------------------------------------------|
| Material | 100% polyester |
| Weight | 366g/m ² |
| Abrasion resistance rub | PN-EN ISO 12947 - 2:2 100,000 |
| Colour fastness to rubbing | scale 1-5, max 5 • EN ISO 105x12 (wet/dry) 4-5 |
| Fabric manufacturer's warranty | 10 years |


Sizes and Dimensions:




Single Desks




ZPS632
acoustic class A
W: 46.9" D: 1.6"
H: 25.6"




ZPS634
acoustic class A
W: 54.7" D: 1.6"
H: 25.6"




ZPS832
acoustic class A
W: 46.9" D: 1.6"
H: 31.5"




ZPS636
acoustic class A
W: 62.6" D: 1.6"
H: 25.6"




ZPS834
acoustic class A
W: 54.7" D: 1.6"
H: 31.5"




ZPS638
acoustic class A
W: 70.5" D: 1.6"
H: 25.6"




ZPS836
acoustic class A
W: 62.6" D: 1.6"
H: 31.5"



ZPS838
acoustic class A
W: 70.5" D: 1.6"
H: 31.5"




ZPS640
acoustic class A
W: 78.3" D: 1.6"
H: 25.6"




ZPS840
acoustic class A
W: 78.3" D: 1.6"
H: 31.5"


Bench Desks




ZD812
acoustic class A
W: 46.9" D: 1.6"
H: 31.5"




ZD814
acoustic class A
W: 54.7" D: 1.6"
H: 31.5"



ZD816
acoustic class A
W: 62.6" D: 1.6"
H: 31.5"



ZD818
acoustic class A
W: 70.5" D: 1.6"
H: 31.5"



ZD820
acoustic class A
W: 78.3" D: 1.6"
H: 31.5"

Types of Fixing Elements



Serenity

acoustic side and cross desk panels

Technical Data

- Sonic screens - acoustic class A, zip fastener, pinnable;
 - Fixing for side panels - powder coated metal, colour: M009 - aluminium semi-matt
-

Selected configuration

ZUS30

Height: 25.6"

Width: 1.6"

Length: 31.5"

Colour of fixing elements: Aluminum semi-matte RAL 9006

Fabric: NE-2 Yellow


Type of fixing elements: Side bracket for Ogi

Sustainability

- The wood used in the production of our screens is acquired from FSC-certified producers.
 - Some of the available upholstery fabrics are made from post-consumer recycling.
 - Steel feet and fixing elements are powder-coated to reduce the emission of Volatile Organic Compounds.
-

Material composition

- Wood: 64%
 - Steel: 14%
 - Fabric: 10%
 - Cardboard: 1%
 - Polyurethane foam: 10%
-



Guarantee

.mdd products - 5 years.

Electrical components - 2 years.



*average values for a representative of the group.

Recycled content

18%

Recyclability

- Recycling: 0%
- Downcycling: 100%

*average values for a representative of the group.


Packaging

Materials: cardboard

Recyclability: 100%


Fabric technical data

NE-2 Yellow


| | | |
|------------------------------------------------------------------------------------|---------------------------------------|------------------------------------------------|
|  | Material | 100% polyester |
| | Weight | 366g/m ² |
| | Abrasion resistance rub | PN-EN ISO 12947 - 2:2 100,000 |
| | Colour fastness to rubbing | scale 1-5, max 5 • EN ISO 105x12 (wet/dry) 4-5 |
| | Fabric manufacturer's warranty | 10 years |

Sizes and Dimensions:


Single Desks




ZUS80
acoustic class A
W: 23.6" D: 1.6"
H: 25.6"




ZUS90
acoustic class A
W: 27.6" D: 1.6"
H: 25.6"




ZUS30
acoustic class A
W: 31.5" D: 1.6"
H: 25.6"



ZUS60
acoustic class A
W: 23.6" D: 1.6"
H: 31.5"




ZUS70
acoustic class A
W: 27.6" D: 1.6"
H: 31.5"




ZUS50
acoustic class A
W: 31.5" D: 1.6"
H: 31.5"


Bench Desks




ZUS11
acoustic class A
W: 47.2" D" 1.6"
H: 25.6"




ZUS41
acoustic class A
W: 55.1" D" 1.6"
H: 25.6"




ZUS31
acoustic class A
W: 63.0" D" 1.6"
H: 25.6"



ZUS61
acoustic class A
W: 47.2" D" 1.6"
H: 31.5"




ZUS71
acoustic class A
W: 55.1" D" 1.6"
H: 31.5"




ZUS51
acoustic class A
W: 63.0" D" 1.6"
H: 31.5"


Cross Panel for Bench Desk




ZOS58
acoustic class A
W: 22.7" D: 1.6"
H: 13.8"




ZOS68
acoustic class A
W: 26.7" D: 1.6"
H: 13.8"




ZOS40
acoustic class A
W: 26.7" D: 1.6"
H: 19.7"




ZOS77
acoustic class A
W: 26.7" D: 1.6"
H: 13.8"




ZOS78
acoustic class A
W: 30.7" D: 1.6"
H: 13.8"



ZOS10
acoustic class A
W: 22.7" D: 1.6"
H: 19.7"



ZYS78
acoustic class A
W: 63.0" D: 1.6"
H: 13.8"



ZYS79
acoustic class A
W: 63.0" D: 1.6"
H: 19.7"

Serenity

acoustic desk panels

Technical Data

- Sonic screens - upholstered, acoustic class A, pinnable;
 - Zip fastener;
 - Frame - glued solid wood structure;
 - Filling - acoustic nonwoven with high sound absorption and dispersion properties;
 - Steel bracket - situated in the frame with a machine screw thread to stabilize bracket fixing;
 - Ogi fixings: fixing for single desks - option with extra charge: suitable for mounting to 16-30 mm thick worktops; brackets for benches included; powder-coated steel; suitable for mounting to 16-30 mm thick worktops
-

Selected configuration

ZPS610

Height: 25.6"

Width: 1.6"

Length: 39"

Colour of fixing elements: Aluminum semi-matte RAL 9006

Fabric: NE-2 Yellow

Type of fixing elements: Bracket for Ogi worktop

Accessories rail: No accessories rail

Sustainability

- The wood used in the production of our screens is acquired from FSC-certified producers.
 - Some of the available upholstery fabrics are made from post-consumer recycling.
 - Steel feet and fixing elements are powder-coated to reduce the emission of Volatile Organic Compounds.
-

Material composition



Guarantee

- 5 years. Electrical components - 2 years.



- Wood: 64%
- Steel: 14%
- Fabric: 10%
- Cardboard: 1%
- Polyurethane foam: 10%

*average values for a representative of the group.

Recycled content

18%

Recyclability

- Recycling: 0%
- Downcycling: 100%

*average values for a representative of the group.

Packaging

Materials: cardboard

Recyclability: 100%

Fabric technical data

NE-2 Yellow




| | |
|---------------------------------------|------------------------------------------------|
| Material | 100% polyester |
| Weight | 366g/m ² |
| Abrasion resistance rub | PN-EN ISO 12947 - 2:2 100,000 |
| Colour fastness to rubbing | scale 1-5, max 5 • EN ISO 105x12 (wet/dry) 4-5 |
| Fabric manufacturer's warranty | 10 years |


Universal




ZUS01
acoustic class A
W: 39" D: 1.6"
H: 13.8"




ZUS12
acoustic class A
W: 46.9" D: 1.6"
H: 13.8"




ZUS14
acoustic class A
W: 54.7" D: 1.6"
H: 13.8"



ZUS16
acoustic class A
W: 62.6" D: 1.6"
H: 13.8"




ZUS18
acoustic class A
W: 70.5" D: 1.6"
H: 13.8"




ZUS20
acoustic class A
W: 78.3" D: 1.6"
H: 13.8"




ZUS05
acoustic class A
W: 39" D: 1.6"
H: 19.7"




ZUS52
acoustic class A
W: 46.9" D: 1.6"
H: 19.7"




ZUS54
acoustic class A
W: 54.7" D: 1.6"
H: 19.7"



ZUS56
acoustic class A
W: 62.6" D: 1.6"
H: 19.7"



ZUS58
acoustic class A
W: 70.5" D: 1.6"
H: 19.7"



ZUS59
acoustic class A
W: 78.3" D: 1.6"
H: 19.7"

Accessories



No accessories rail




Accessories rail x 1



Accessories rail x 2

Types of Fixing Elements




Bracket for Bench



Bracket for Single Desks


Single Desks




ZPS610
acoustic class A
W: 39" D: 1.6"
H: 25.6"




ZPS810
acoustic class A
W: 39.0" D: 1.6"
H: 31.5"




ZPS814
acoustic class A
W: 54.7" D: 1.6"
H: 31.5"




ZPS618
acoustic class A
W: 70.5" D: 1.6"
H: 25.6"




ZPS612
acoustic class A
W: 46.9" D: 1.6"
H: 25.6"




ZPS614
acoustic class A
W: 54.7" D: 1.6"
H: 25.6"




ZPS816
acoustic class A
W: 62.6" D: 1.6"
H: 31.5"




ZPS818
acoustic class A
W: 70.5" D: 1.6"
H: 31.5"




ZPS812
acoustic class A
W: 46.9" D: 1.6"
H: 31.5"



ZPS616
acoustic class A
W: 62.6" : D: 1.6"
H: 25.6"



ZPS620
acoustic class A
W: 78.3" D: 1.6"
H: 25.6"



ZPS820
acoustic class A
W: 78.3" D: 1.6"
H: 31.5"

Types of Fixing Elements



Bracket for Worktop



Bracket for Worktop



No accessories rail



Accessories rail x 1

Accessories